
Libya


Total population: 6,155,000

Income group: Upper middle


Total deaths: 26,000 Life expectancy at birth: Total:75 Males:73 Females:77




Age-Standardized Cancer Mortality Trends







Females



Adult Risk Factors

	Males	Females	Total	
Current tobacco smoking (2011)	44.7%	<1%	22.5%	
Total alcohol per capita consumption, in litres of pure alcohol (2010)	0.1	0.0	0.1	
Physical inactivity (2010)	31.0%	42.3%	36.6%	
Obesity (2014)	25.8%	38.0%	31.9%	
Household solid fuel use (2012)	-	-	0.0%	

Has an operational cancer policy/strategy/action plan	No
Has a cancer registry	No
Scope	
Coverage	
Last year of data	
Cancer Primary Prevention Policies	
Tobacco control	
Has an operational policy, strategy or action plan to reduce the burden of tobacco use	No

Smoke-free legislation	All public places completely smoke-free (or at least 90% of the population covered by complete subnational smoke-free legislation)**		
Tobacco dependence treatment	NRT and/or some cessation services (at least one of which is cost-covere		
Warning labels	No warnings or small warnings		
Bans on advertising, promotion and sponsorship	Ban on all forms of direct and indirect advertising**		
Tobacco taxes	≤25% of retail price is tax		
Overweight and obesity prevention and control			
Has an operational policy, strategy or action plan for reducing overweight/obesity	No		
Physical inactivity prevention and control			
Has an operational policy, strategy or action plan to reduce physical inactivity and/or promote physical activity	No		
Harmful use of alcohol prevention and control			
Has an operational policy, strategy or action plan to reduce the harmful use of alcohol	No		
National immunization			
Human Papillomavirus vaccination schedule	15 years (x3)		
Hepatitis B vaccination schedule	Birth		
Hepatitis B vaccination coverage, infants	98%		
Cancer Screening and Early Detection			
Cervical cancer			
Cervical cytology (PAP)	Not generally available at the public primary health care level		
Acetic acid visualization (VIA)	Not generally available at the public primary health care level		
Breast cancer			
Breast palpation / clinical breast exam (CBE)	Not generally available at the public primary health care level		
Mammogram	Not generally available at the public primary health care level		
Colorectal cancer			
Faecal occult blood test or faecal immunological test	Not generally available at the public primary health care level		
Bowel cancer screening by exam or colonoscopy	Not generally available at the public primary health care level		
Cancer Treatment and Palliative Care			
Radiotherapy	Generally available in the public health system		
Total high energy teletherapy units / million inhabitants	1.0		
Number of radiotherapy centres	4		
Number of radiation oncologists	7		
Chemotherapy (medicines not specified)	Generally available in the public health system		
Oral morphine (formulation not specified)	Not generally available in the public health system		

Not generally available

... = No data available

* No mortality data available. Figures are based on national incidence estimates and modelled survival. ** Indicates highest possible level of achievement

Non-methadone morphine equivalent consumption per cancer death (mg) Community/home care for people with advanced stage cancer and other NCDs

World Health Organization - Cancer Country Profiles, 2014.